

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/736,283	12/15/2003	Francois-Xavier Musalem	1488/12/2	4294
25297	25297 7590 12/28/2005		EXAMINER	
JENKINS, WILSON & TAYLOR, P. A. 3100 TOWER BLVD			DICKEY, THOMAS L	
SUITE 1400			ART UNIT	PAPER NUMBER
DURHAM, NC 27707			2826	
			DATE MAILED: 12/28/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

_^	
nν	
"	
10	
v	
1	

Application No.	Applicant(s)	
10/736,283	MUSALEM ET AL.	
Examiner	Art Unit	
Thomas L. Dickey	2826	

Advisory Action Before the Filing of an Appeal Brief --The MAILING DATE of this communication appears on the cover sheet with the correspondence address --THE REPLY FILED 13 December 2005 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. 1. The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods:  $\square$  The period for reply expires  $\underline{5}$  months from the mailing date of the final rejection. a) The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). **NOTICE OF APPEAL** 2. The Notice of Appeal was filed on \_\_\_\_\_. A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal. Since a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a). **AMENDMENTS** 3. X The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will not be entered because (a) They raise new issues that would require further consideration and/or search (see NOTE below): (b) They raise the issue of new matter (see NOTE below): (c) They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or (d) They present additional claims without canceling a corresponding number of finally rejected claims. NOTE: See Continuation Sheet, (See 37 CFR 1.116 and 41.33(a)). 4. The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324). 5. Applicant's reply has overcome the following rejection(s): 6. Newly proposed or amended claim(s) \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s). 7. For purposes of appeal, the proposed amendment(s): a) will not be entered, or b) will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended. The status of the claim(s) is (or will be) as follows: Claim(s) allowed: Claim(s) objected to: 62. Claim(s) rejected: 7-18,20-24,46-55,57-61 and 80-90. Claim(s) withdrawn from consideration: 19,25-45,56,63-79 and 91-140. AFFIDAVIT OR OTHER EVIDENCE 8. The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will not be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e). 9. The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing a good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1). 10. The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached. REQUEST FOR RECONSIDERATION/OTHER 11. 

The request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet. 12. Note the attached Information Disclosure Statement(s). (PTO/SB/08 or PTO-f1449) Paper No(s). 13. ☐ Other: .

> Thomas L. Dickey Patent Examiner

Continuation of 3. NOTE: 1. In claim 7, whether at least one capacitive electrode is constrained to move in a substantially straight direction with respect to a normal of a surface of the other capacitive electrode raises a new issue requiring further search and consideration.

- 2. In claim 46, whether a first actuation electrode is constrained to move in a substantially straight direction with respect to a normal of a surface of a second actuation electrode raises a new issue requiring further search and consideration.
- 3. Applicant proposes to cancel two claims (54 and 62) and add five claims (141-145)...

Continuation of 11. does NOT place the application in condition for allowance because: 4. With regard to claim 80 Applicant argues that in the device disclosed by de los Santos 2004/0036132, when charges of opposite polarity are applied to actuation electrodes 112-116, the device will move in a first direction so that capacitive electrodes 114-118 are spaced further apart than actuation electrodes 112-116. Applicant ignores the fact that the opposite is also true: when charges of the same (as opposed to opposite) polarity are applied to actuation electrodes 112-116 the device will move in a second direction (opposite to the first) so that capacitive electrodes 114-118 are spaced closer together than actuation electrodes 112-116. Applicant must keep in minds that claim 80 is recited using functional language. To meet claim 80 de los Santos's capacitive electrodes need not actually be spaced apart, they merely need to be capable of moving to a spaced apart location in response to a proper voltage.